





Oil Pattern Distance **Forward Oil Total Tank Configuration** 

46 10.55 mL A-B **Reverse Brush Drop Reverse Oil Total Tank A Conditioner** 

46 11.55 mL **PRODIGY**  Oil Per Board **Volume Oil Total Tank B Conditioner** 

Multi ul 22.1 mL **PRODIGY** 

1 3L 3R 1 50 14 35 0.0 0.0 0.0 1750   2 6L 6R 2 50 14 58 0.0 3.9 3.9 2900   3 9L 9R 3 50 18 69 3.9 11.5 7.6 3450   4 12L 12R 2 50 22 34 11.5 17.7 6.2 1700   5 13L 13R 1 50 26 15 17.7 21.3 3.6 750   6 2L 2R 0 50 26 0 21.3 46.0 24.7 0	4		3101	LOADS	MICS	SPEED	CROSSED	START	END	FEET	T.OIL
3 9L 9R 3 50 18 69 3.9 11.5 7.6 3450   4 12L 12R 2 50 22 34 11.5 17.7 6.2 1700   5 13L 13R 1 50 26 15 17.7 21.3 3.6 750		3L	3R	1	50	14	35	0.0	0.0	0.0	1750
4 12L 12R 2 50 22 34 11.5 17.7 6.2 1700 5 13L 13R 1 50 26 15 17.7 21.3 3.6 750	2	6L	6R	2	50	14	58	0.0	3.9	3.9	2900
5 13L 13R 1 50 26 15 17.7 21.3 3.6 750	3	9L	9R	3	50	18	69	3.9	11.5	7.6	3450
	4	12L	12R	2	50	22	34	11.5	17.7	6.2	1700
6 2L 2R 0 50 26 0 21.3 46.0 24.7 0	5	13L	13R	1	50	26	15	17.7	21.3	3.6	750
	6	2L	2R	0	50	26	0	21.3	46.0	24.7	0

	2L	2R	0	50	30	•				
2	121			-	30	U	46.0	42.0	-4.0	0
	IJL	13R	1	50	26	15	42.0	38.4	-3.6	750
3	12L	12R	2	50	26	34	38.4	31.1	-7.3	1700
4	11L	11R	2	50	22	38	31.1	24.9	-6.2	1900
5	10L	10R	3	50	22	63	24.9	15.6	-9.3	3150
6	8L	8R	2	50	18	50	15.6	10.5	-5.1	2500
7 :	5L	5R	1	50	14	31	10.5	8.6	-1.9	1550
8 2	2L	2R	0	50	14	0	8.6	0.0	-8.6	0

Cleaner Ratio Main Mix Cleaner Ratio Back End Mix Cleaner Ratio Back End Distance Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

NA NA NA Forward Reverse Combined



	ı				T	
Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Mlddle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	8.33	1.69	1	1	1.69	8.33

